Approved For Release 2003/02/27: CIA-RDP80B01676R002300100026-0

Deputies' Meeting

25X1

25X1

25X1

	Thursday, 24 July 1952	25X1
	PRESENT: General Smith, Messrs. Dulles, Wisner, Becker, Col. White,	
	Discussed a list of names submitted by as possible candidates for employment in the Far East and (1) gave the list to Mr. Wisner for further perusal; (2) asked to arrange to have come in and see him (the DCI). (NOTE: will see DCI at 3:00 p.m. 28 July.) where it is a candidate with anxiety of cardinates of cardinates. Mr. Dulles:	25X1 25X1 25X1
	a. Noted that during his trip to Aberdeen yesterday he had discussed with Mr. Whitman, Chairman, RDB, that Board's request on CIA for an estimate. Mr. Becker noted that the particular estimate in question would cause no difficulty since the information required was already contained in papers published by OSI. The Director stated that (1) we would not prepare estimates for individual agencies; (2) RDB should request intelligence support from the JIC; (3) we would not write estimates for the JIC. Mr. Dulles noted that the above points had been made clear to Mr. Whitman and he had also been advised that any requirement for estimates from HDB insofar as CIA was concerned should be made through Mr. Lovett and the NSC.	25X1
		25X1
-	between Admiral Fechteler and Unlang Kai-shek and undertook to	25 ×1

(CONTINUED)

Approved For Release 2003/02/27: CIA-RDP80B01676R002300100026-0

Deputies' Meeting (Continued)

The state of the s	
	25X1
Mr. Wisner:	
Colonel White:	
a. Noted that he had scheduled a meeting this afternoon with Mr. Broadbent	;
and/or the Navy Building and stated that an inspection of these two locations indicated that the Navy Building was much preferable.	
was made preferable.	
b. Reported that we work have	
b. Reported that we were having considerable trouble in obtaining air conditioners since it appeared that the manufacturers of this equipment had now turned to producing heating equipment for the right way.	
turned to producing heating equipment for the winter and while we had been able	
to procure about 300 units it will probably be a year before we are able obtain the amount of this equipment desired.	
obtain the amount of this equipment desired. In response to a query from the	
direct from the manufacturers; however in view of the	
they were completely sold out.	
	25X1
Mr. Becker:	